GP-7710



DESCRIPTION

CP-710 is a concentrated liquid, alkaline cleaning agent formulated for the pharmaceutical, biotechnology, cosmetic, dietary supplement and medical device industries. It effectively removes a wide range of process and research residues, including serum, proteins, organics, and oils. When used as directed, **CP-710** is safe for use on aluminum, galvanized and other soft metals as well as glass, stainless steel, and a wide variety of plastics. The product is designed to be used at a 0.2% to 1% use dilution.

CP-710 is designed to be low foaming at all temperatures for easy rinsing and will not cavitate recirculation pumps. Extremely free rinsing **CP-710** provides clean, residue free, surfaces. Chelants provide excellent hard water tolerance that eliminates mineral deposits.

DIRECTIONS

CP-710 is designed for use in immersion, pressure spray, and recirculating spray wash applications and is ideal for rack washing machines. Typical operating concentrations of **CP-710** vary from 0.2% by volume, to 5% by volume; depending on temperatures, soil loads, and cleaning methods used. Usual care and protective equipment are required for handling the concentrates and in manual cleaning — see the MSD sheet.

Technical support will help you establish an improved cleaning procedure for your application including the recommended **CP-710** dilution. If required, our testing laboratory can test your residue and screen various cleaner concentrations, temperatures and exposure times to determine the optimum cleaning conditions and also provide cleaning validation assistance.

There are several proven options for the feed and control of **CP-710**, including a standard alkalinity titration for verifying use concentration and for checking residual **CP-710** following rinsing. Conductivity can also be used for accurate automated feed and control and for rinse residue determination. Technical support can help you with these and other methods such as TOC.

PRODUCT PROPERTIES

Color: Pink

Odor: Slight Chemical

pH: 12.5-13.0

Viscosity: Water Thin

Foam: None

Application:

- Recirculating Spray CIP and COP Washer
- Immersion and Flow Cleaning
- Manual Cleaning

Contact CANI, Inc. for technical services or product recommendations.

CANI